

CRYOLIPOLYSIS

SLIMMING MACHINE

MORE COMFORTABLE | MORE EFFECTIVE | MORE TREATMENT AREAS







ANDROID SYSTEM

WIFI AND BLUETOOTH CONNECTION

CLOUD DATA TRANSFER

Different treatment parameters can be stored for easy selection next time.



REMOTE CONTROL SYSTEM


Remotely Control Machine On Mobile

Remotely Setting Parameters On Mobile

Remotely Create And View User Information On Mobile

CRY*TEC 360° PRO

TREATMENT PRINCIPLES



CRYOLIPOLYSIS transfers the triglycerides within the fat into solid state under 5°C low temperature. When the fat cells are cooled to this critical temperature, the triglycerides transition from a liquid to a solid state. Then the crystallized fat cells are dead and cleared away by body's metabolic processes. As a result, fat in the treated area is greatly reduced, leading to the desired slimming and body-contouring effect.



REPLACEABLE TREATMENT HEAD

Replaceable treatment heads for targeted treatment. Featuring a plug-and-play connector for easy, secure switching and a firm lock.

MULTI SPOT SIZES



240*85mm



146*160mm



146*55mm



117*55mm



65*19mm

WING PLUS



240*85mm

▶ Abdomen

▶ Back





WING PRO



146*160mm

- ▶ Thigh(front, back, left and right)
- ▶ Waistside



WING



146*55mm

- ▶ Abdomen/Side
- ▶ Back Waist
- ▶ Back Thigh





FLAT



117*55mm

- ▶ Upper Arm
- ▶ Abdomen/Side
- ▶ Back
- ▶ Thigh





WING MINI



65*19mm

- ▶ Double Chin
- ▶ Bra Fat
- ▶ Medial Knee





4 HANDLES
WORK SIMULTANEOUSLY



01 Dual temperature sensors ensure precise real-time monitoring with automatic alerts for safety.

02 2.4-inch touchscreen on each handle for easy and intuitive parameter control.

03 Dual 108W high-power semiconductor cooling plates achieve -15°C cooling temperature.

04 Integrated filter protects the handle from internal impurities.

05 360° full-coverage cooling ensures even results, the soft silicone surface enhances comfort.

Made of medical-grade silicone from BASF Germany—hypoallergenic, durable, and built to last through repeated use.

SPECIFICATION

Power	4000W
Handpiece Cooling Power	480W * 4
Cooling Range	-15°C ~ 5°C
Air Pressure	0-100kpa
Water Tank Capacity	8L
Screen Size	15.6-inch
Voltage	AC220V±10% 50HZ, 110v±10% 60HZ

